Reporting Requirements

```
Name of Report
                                    How Often
LOGONID SUPERLIST REPORT
                                    daily
 DMAS LOGONIDS
     To include the following fields:
            LOGONID NAME
            ACC-DATE
            FHGRP (for example the cluster assignment)
            RESP
            PHONE
            FHSSN (for example the user identifier)
            FIPS
                   (for example, a uniquely identified locality
                    assignment, not necessarily the standardized known
                    FIPS - DMAS provides this)
            DESC
            CICSID
Name of Report
                                    How Often
DMAS USERS IN CANCELLED STATE
                                    daily
     To include the following fields:
            LOGONID NAME
            ACC-DATE
            FHGRP (for example the cluster assignment)
            RESP
            PHONE
            FHSSN (for example the user identifier)
                   (for example, a uniquely identified locality
            FIPS
                    assignment, not necessarily the standardized known
                    FIPS - DMAS provides this)
            CICSID
Name of Report
                                    How Often
CONTRACTOR USER LIST
                                    daily
     To include the following fields:
            LOGONID NAME
            FHGRP (for example the cluster assignment)
            RESP
            PHONE
            FHSSN (for example the user identifier)
            FIPS
                   (for example, a uniquely identified locality
                    assignment, not necessarily the standardized known
                    FIPS - DMAS provides this)
            DESC
            CICSID
                                    How Often
Name of Report
SAS USERS WITH CLUSTERS
     To include the following fields:
            LOGONID NAME
            TSOACCT
```

 $\begin{array}{ll} {\tt FHGRP} & ({\tt for\ example\ the\ cluster\ assignment}) \\ {\tt DESC} \\ {\tt CICSID} \end{array}$

Name of Report

How Often

DMAS CLUSTER LIST for both daily production and test regions, by SID

To include the following fields:

cluster type

ex: L LIKE(VAxx-)

Cluster name

Last date of modification

Changed by

Include all transactions in the cluster

Name of Report

How Often

DMAS X-REF TRANSACTION

daily

For resource rules by production and test regions

To include the following fields:

RESOURCE RULE

Cluster name

Last date of modification

Changed by

Include all resource rule statements (allow / disallow)

Name of Report

How Often

DMAS X-REF TRANSACTION

daily

For any transactions that are assigned by resource rule And by production and test regions

To include the following fields:

RESOURCE RULE

Cluster name

Last date of modification

Changed by

Include all resource rule statements (allow / disallow)

Name of Report

How Often

GENERALIZED RESOURCE LOG

daily

For the reporting of violation totals

To include the following fields:

Date

TYPE INDEX COUNT

LID COUNT

LID COUNT

Name of Report

How Often

GENERALIZED RESOURCE LOG da

For the reporting of details of violations

```
To include the following fields:
      REQUESTED RESOURCE
      REC LOOKUP KEY
      UID
      SOURCE
      CPU MODULE
      DISP
      DSP-MOD
      KEY-MOD
      SERV
      DATE
      TIME
      JNAME
      LID
      NAME
      PRE
      RMC
      INT
      PST
      FIN
      MLS
      USER-SECLABEL
      RSRC-SECLABEL
      MODE
      SRC
      RRC
      RSN
```

Name of Report

How Often

CICS SECURITY FILE AUDIT TRAIL REPORT daily

To include the following fields:

OPERATOR ID LAST DATE

ACTIVITY TYPE: ADD, CHANGE, DELETE

FIELD NAME: TO INCLUDE: EMPLOYEE NAME, PASSWORD ADDED/DELETED,

FIPS ORGANIZATION CODE, TRANSACTION

CODES

BEFORE AFTER

Other reports may be identified, as needed by DMAS to meet its business needs, audit needs, etc.